

We know how to prevent tobacco use and help current smokers quit, but states and the federal government are not implementing these proven-effective, lifesaving laws and policies. The American Lung Association’s “State of Tobacco Control 2017” report shows both the progress and failure of states and the federal government to prevent and reduce tobacco use. To learn more go to [StateOfTobaccoControl.org](http://StateOfTobaccoControl.org)



 **State Goals:**

1. Increase the cigarette excise tax by \$1.00 per pack;
2. Create parity between the tax on cigarettes and other tobacco products; and
3. Fund tobacco prevention and cessation programs at the Centers for Disease Control and Prevention (CDC) recommended level.

**MORE THAN ONE IN FOUR KIDS IN THE U.S. USES TOBACCO PRODUCTS.**



 **State Facts:**

Health Care Costs Due to Smoking:	\$2,709,568,436
Adult Smoking Rate:	15.1%
Adult Tobacco Use Rate:	16.9%
High School Smoking Rate:	8.7%
High School Tobacco Use Rate:	27.6%
Middle School Smoking Rate:	N/A
Smoking Attributable Deaths:	7,490

**StateOfTobaccoControl.org**

**Media contact:**

Ewa Dworakowski, Communications Director  
717-541-5864 ext. 130  
[EDworakowski@lunginfo.org](mailto:EDworakowski@lunginfo.org)

