

# Health Risks of Particle Pollution

**Particle pollution is a lethal air pollutant.** Particle pollution is made up of microscopic specks of soot, metals, acids, dirt, pollen, molds, and aerosols that are tiny enough to inhale.<sup>1</sup> These particles are many times smaller than the diameter of a human hair, as shown in the illustration.

**Particles penetrate deep into the lungs** and even into the bloodstream, leading to tens of thousands of premature deaths, heart attacks and asthma attacks every year. The World Health Organization concluded in 2013 that breathing particle pollution causes lung cancer.<sup>2</sup>

Breathing particles can trigger asthma attacks; cause lung cancer; increase the risk of heart attacks and strokes; damage lung tissue and airways; increase hospital visits for respiratory and cardiovascular problems; and even kill.<sup>3</sup>

## Someone in every family is vulnerable.

Children, teens, people aged 65 and older, people with low incomes and people with chronic lung disease, such as asthma and COPD (which includes chronic bronchitis and emphysema), are more vulnerable to the risk of harm from particles.

People with diabetes, heart disease, high blood pressure, coronary artery disease, and congestive heart failure also face higher risk from particle pollution.

**Low levels of particles can be deadly.** In recent large studies, scientists found that older adults faced a higher risk of dying from particle pollution even in communities that met current national standards.<sup>4</sup>

**We must clean up the sources of particles.** Particles come from wide-ranging sources, including coal-fired power plants, industrial boilers, diesel vehicles, wildfires and woodstoves.

**Cleaning up particle pollution saves lives and protects public health.**




Image courtesy of the U.S. EPA

<sup>1</sup> U.S. EPA. [Integrated Science Assessment for Particulate Matter](#). U.S. Environmental Protection Agency, Washington, DC, EPA/600/R-08/139F, 2009.

<sup>2</sup> Loomis D, Gross Y, et al. [The carcinogenicity of outdoor air pollution](#). *The Lancet Oncology*. 2013; 14:1262-3. World Health Organization International Agency for Research on Cancer. *IARC Monograph on the Evaluation of Carcinogenic Risks to Humans*. Volume 109, Outdoor Air Pollution. Lyon: IARC (in Press).

<sup>3</sup> U.S. EPA, *Integrated Science Assessment*, 2009. World Health Organization International Agency for Research on Cancer. Hamra GB, Guha N, Cohen A, Laden F, Raaschou-Nielsen O, Samet JM, Vineis P, Forastiere F, Saldiva P, Yorifuji T, and Loomis D. Outdoor Particulate Matter Exposure and Lung Cancer: A Systematic Review and Meta-Analysis. *Environ Health Perspect*. 2014; 122: 906-911.

<sup>4</sup> Di Q, Dai L, Wang Y, Zanobetti A, Choirat C, Schwartz JD, Dominici F. Association of Short-Term Exposure to Air Pollution with Mortality in Older Adults. *JAMA*. 2017. 318: 2446-2456; Shi L, Zanobetti A, Kloog I, Coull BA, Koutrakis P, Melly SJ, Schwartz JD. Low-concentration PM<sub>2.5</sub> and mortality: estimating acute and chronic effects in a population-based study. *Environ Health Perspect*. 2016; 124:46-52. <http://dx.doi.org/10.1289/ehp.1409111>